

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sseptal202jxp

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\*\*\*\*\* Welcome to STN International \*\*\*\*\*

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	MAR 31	IFICDB, IFIPAT, and IFIUDB enhanced with new custom IPC display formats
NEWS	3	MAR 31	CAS REGISTRY enhanced with additional experimental spectra
NEWS	4	MAR 31	CA/Caplus and CASREACT patent number format for U.S. applications updated
NEWS	5	MAR 31	LPCI now available as a replacement to LDPCI
NEWS	6	MAR 31	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	7	APR 04	STN AnaVist, Version 1, to be discontinued
NEWS	8	APR 15	WPIDS, WPINDEX, and WPIX enhanced with new predefined hit display formats
NEWS	9	APR 28	EMBASE Controlled Term thesaurus enhanced
NEWS	10	APR 28	IMSRESEARCH reloaded with enhancements
NEWS	11	MAY 30	INPAFAMDB now available on STN for patent family searching
NEWS	12	MAY 30	DGENE, PCTGEN, and USGENE enhanced with new homology sequence search option
NEWS	13	JUN 06	EPFULL enhanced with 260,000 English abstracts
NEWS	14	JUN 06	KOREAPAT updated with 41,000 documents
NEWS	15	JUN 13	USPATFULL and USPAT2 updated with 11-character patent numbers for U.S. applications
NEWS	16	JUN 19	CAS REGISTRY includes selected substances from web-based collections
NEWS	17	JUN 25	CA/Caplus and USPAT databases updated with IPC reclassification data
NEWS	18	JUN 30	AEROSPACE enhanced with more than 1 million U.S. patent records
NEWS	19	JUN 30	EMBASE, EMBAL, and LEMBASE updated with additional options to display authors and affiliated organizations
NEWS	20	JUN 30	STN on the Web enhanced with new STN AnaVist Assistant and BLAST plug-in
NEWS	21	JUN 30	STN AnaVist enhanced with database content from EPFULL
NEWS	22	JUL 28	CA/Caplus patent coverage enhanced
NEWS	23	JUL 28	EPFULL enhanced with additional legal status information from the epoline Register
NEWS	24	JUL 28	IFICDB, IFIPAT, and IFIUDB reloaded with enhancements
NEWS	25	JUL 28	STN Viewer performance improved
NEWS EXPRESS	JUNE 27 08	CURRENT WINDOWS VERSION IS V8.3, AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.	
NEWS HOURS	STN Operating Hours Plus Help Desk Availability		
NEWS LOGIN	Welcome Banner and News Items		
NEWS IPC8	For general information regarding STN implementation of IPC 8		

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 12:48:03 ON 28 JUL 2008

=> file reg	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'REGISTRY' ENTERED AT 12:48:22 ON 28 JUL 2008  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2008 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 27 JUL 2008 HIGHEST RN 1036536-16-9  
DICTIONARY FILE UPDATES: 27 JUL 2008 HIGHEST RN 1036536-16-9

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2008.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stdoc/properties.html>

```
=> e 2-pentene/cn
E1      1      2-PENTENANILIDE, 5-BENZOYL-3-CHLORO-4-OXO-/CN
E2      1      2-PENTENARIC ACID, 2,3,4-TRIDEOXY-3-((2,3-O-(1-METHYLETHYLID
ENE)-5-O-(4-NITROBENZOYL)-A-D-RIBOFURANOSYL)OXY)-, DIE
THYL ESTER/CN
E3      1 --> 2-PENTENE/CN
E4      1      2-PENTENE OXIDE/CN
E5      1      2-PENTENE RADICAL CATION/CN
E6      1      2-PENTENE(DITHIOIC) ACID, 2,2-DIMETHYL-, METHYL ESTER, (E)-/
CN
E7      1      2-PENTENE(DITHIOIC) ACID, 2,4-DIMETHYL-, ETHYL ESTER/CN
E8      1      2-PENTENE(DITHIOIC) ACID, 2-(DIETHOXYPHOSPHINYL)-4,4-DIMETHY
L-, ETHYL ESTER, (E)-/CN
E9      1      2-PENTENE(DITHIOIC) ACID, 2-CYANO-3-ETHOXY-, ETHYL ESTER/CN
E10     1      2-PENTENE(DITHIOIC) ACID, 2-METHYL-3-(PHENYLAMINO)-, ETHYL E
STER/CN
E11     1      2-PENTENE(DITHIOIC) ACID, 3-BROMO-2,4,4,5,5-PENTAFLUORO-, ET
HYL ESTER/CN
```

E12 1 2-PENTENE(DITHIOIC) ACID, 3-HYDROXY-2-METHYL-, ETHYL ESTER/C  
N

=> s e3

L1 1 2-PENTENE/CN

=> e 1-pentene/cn

E1 1 1-PENTEN-5-YL 3-(BENZENESULFONYL)-3-(CARBOMETHOXY)PROPANOATE  
/CN  
E2 1 1-PENTENAMINE, N-FLUORO-1-(NITROAMINO)-/CN  
E3 1 --> 1-PENTENE/CN  
E4 1 1-PENTENE CATION RADICAL/CN  
E5 1 1-PENTENE OXIDE/CN  
E6 1 1-PENTENE POLYMER/CN  
E7 1 1-PENTENE PRIMARY OZONIDE/CN  
E8 1 1-PENTENE RADICAL CATION/CN  
E9 1 1-PENTENE, (2-PROPENYL)-/CN  
E10 1 1-PENTENE, 1,1'-(METHYLENEBIS(SULFONYL))BIS-, (1E,1'E)-/CN  
E11 1 1-PENTENE, 1,1'-OXYBIS-/CN  
E12 1 1-PENTENE, 1,1'-SULFONYLBIS(2-METHYL-/CN

=> s e3

L2 1 1-PENTENE/CN

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	10.76	10.97

FILE 'CAPLUS' ENTERED AT 12:48:56 ON 28 JUL 2008  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Jul 2008 VOL 149 ISS 5  
FILE LAST UPDATED: 27 Jul 2008 (20080727/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2008.

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/legal/infopolicy.html>

=> s l1 and l2

1322 L1

4410 L2

L3 652 L1 AND L2

=> s l2 and alkylaryl

4410 L2  
 5301 ALKYLARYL  
 15 ALKYLARYLS  
 5313 ALKYLARYL  
 (ALKYLARYL OR ALKYLARYLS)  
 L4 3 L2 AND ALKYLARYL  
 => s 13 and alkylaryl  
 5301 ALKYLARYL  
 15 ALKYLARYLS  
 5313 ALKYLARYL  
 (ALKYLARYL OR ALKYLARYLS)  
 L5 1 L3 AND ALKYLARYL  
 => s 11  
 L6 1322 L1  
 => s 11 and alkylaryl  
 1322 L1  
 5301 ALKYLARYL  
 15 ALKYLARYLS  
 5313 ALKYLARYL  
 (ALKYLARYL OR ALKYLARYLS)  
 L7 4 L1 AND ALKYLARYL  
 => s 17 or 15  
 L8 4 L7 OR L5  
 => d 18 ibib ab tot  
 L8 ANSWER 1 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN  
 ACCESSION NUMBER: 2005:588884 CAPLUS  
 DOCUMENT NUMBER: 143:99312  
 TITLE: Method for producing alkylarylsulfonate surfactants  
 INVENTOR(S): Bottke, Nils; Tropsch, Juergen; Narbeshuber, Thomas;  
 Stephan, Juergen; Roeper, Michael; Heidemann, Thomas;  
 Steinbrenner, Ulrich; Benfer, Regina  
 PATENT ASSIGNEE(S): BASF Aktiengesellschaft, Germany  
 SOURCE: PCT Int. Appl., 28 pp.  
 CODEN: PIXXD2  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005061447	A2	20050707	WO 2004-EP14444	20041217
WO 2005061447	A3	20070104		
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, SM			
RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
DE 10360026	A1	20050721	DE 2003-10360026	20031219
CA 2544867	A1	20050707	CA 2004-2544867	20041217

EP 1697314 A2 20060906 EP 2004-804045 20041217  
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
 IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK,  
 BA, HR, IS, YU  
 BR 2004017365 A 20070410 BR 2004-17365 20041217  
 CN 1997611 A 20070711 CN 2004-80037813 20041217  
 MX 2006PA05942 A 20060809 MX 2006-PA5942 20060525  
 US 20070142258 A1 20070621 US 2006-583140 20060616  
 PRIORITY APPLN. INFO.: DE 2003-10360026 A 20031219  
 WO 2004-EP14444 W 20041217

AB The production of alkylaryl compds. comprises: (A) the reaction of a C4-5 olefin mixture on a metathesis catalyst to produce a C4-8 olefin mixture containing 2-pentene and the optional isolation of the C4-8 olefin mixture; (B) isolation of 5-100% of the 2-pentenenes obtained in step (A) and subsequent reaction on an isomerization catalyst to form a mixture of 2-pentenenes and 1-pentene which is returned to stage (A); (C) dimerization of the C4-8 olefin mixture obtained in stage (B) after the isolation process to form a mixture containing C8-16 olefins, isolation of the C8-16 olefins and optional isolation of a partial stream of the latter; (D) reaction of the C8-16 olefin mixts. obtained in stage (c) or the partial stream with an aromatic hydrocarbon in the presence of an alkylation catalyst to form alkyl aromatic compds. where prior to the reaction an addnl. 0-60% linear olefins, in relation to the C8-16 olefin mixts. obtained in stage (C), can be added; (E) optional sulfonation of the alkylaroms. obtained in stage (D) and neutralization to form alkylarylsulfonates, where prior to the sulfonation an addnl. 0-60% linear alkylbenzols, in relation to the alkyl aromatic compds. obtained in stage (D), can be added, provided that there were no admixts. in stage (D); (F) optional mixing of the alkylarylsulfonates obtained in stage (E) with 0-60% linear alkylarylsulfonates, in relation to the alkylaryl sulfonates obtained in stage (E), provided that there were no admixts. in stages (D) and (E). The alkylarylsulfonates may be used for surfactant applications.

L8 ANSWER 2 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2004:525983 CAPLUS  
 DOCUMENT NUMBER: 141:73351  
 TITLE: Manufacture of alkylarylsulfonates from branched dimerized olefins  
 INVENTOR(S): Narbeshuber, Thomas; Steinbrenner, Ulrich; Wiebelhaus, Dag; Bottke, Nils  
 PATENT ASSIGNEE(S): BASF Ag, Germany  
 SOURCE: Ger. Offen., 18 pp.  
 CODEN: GWXXBX  
 DOCUMENT TYPE: Patent  
 LANGUAGE: German  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 10261481	A1	20040701	DE 2002-10261481	20021223
CA 2511184	A1	20040715	CA 2003-2511184	20031222
WO 2004058692	A1	20040715	WO 2003-EP14712	20031222
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK,				

TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

AU 2003300221	A1	20040722	AU 2003-300221	20031222
EP 1581485	A1	20051005	EP 2003-799498	20031222
EP 1581485	B1	20070321		

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,  
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK

BR 2003017634	A	20051129	BR 2003-17634	20031222
CN 1732150	A	20060208	CN 2003-80107360	20031222
JP 2006511578	T	20060406	JP 2004-562814	20031222
AT 357430	T	20070415	AT 2003-799498	20031222
ES 2283873	T3	20071101	ES 2003-799498	20031222
MX 2005PA05936	A	20050818	MX 2005-PA5936	20050603
US 20060052630	A1	20060309	US 2005-538473	20050607
ZA 2005005050	A	20060927	ZA 2005-5050	20050622

PRIORITY APPLN. INFO.: DE 2002-10261481 A 20021223  
WO 2003-EP14712 W 20031222

AB A process for the manufacture of alkylarylsulfonates with proper degree of alkyl branching, useful as surfactants with improved property profiles, comprises (a) conversion of C4 olefin mixts. in the presence of metathesis catalysts to give mixts. containing 2-pentene and 3-hexene, (b) catalytic dimerization of 2-pentene and/or 3-hexene to give C10-12 olefin mixts. and separation of C10-12 olefins from low-boiling byproducts, (c) catalytic alkylation of aromatic compound with C10-12 olefins, and (d) sulfonation of alkylaryl compds. and neutralization of the resulting alkylarylsulfonates. For example, passing a butadiene-free C4 fraction containing butenes (1:1.06 resp. mixture of 1-butene and 2-butene) over Re2O7/Al2O3 catalyst at 40°/10 bar gave a reaction mixture from which >99% pure 2-pentene and 3-hexene were separated by distillation. Continuous dimerization of the latter mixture over a known heterogeneous catalyst gave a decene/undecene/dodecene fraction with purity 99.5%.

L8 ANSWER 3 OF 4 CAPLUS COPYRIGHT 2008 ACS on STN

ACCESSION NUMBER: 2002:428843 CAPLUS  
DOCUMENT NUMBER: 137:21788  
TITLE: Method for the production of alkylarenesulfonates  
INVENTOR(S): Narbeshuber, Thomas; Steinbrenner, Ulrich; Krack, Gerhard  
PATENT ASSIGNEE(S): Basf Aktiengesellschaft, Germany  
SOURCE: PCT Int. Appl., 46 pp.  
CODEN: PIXXD2  
DOCUMENT TYPE: Patent  
LANGUAGE: German  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2002044114	A1	20020606	WO 2001-EP13322	20011116
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
DE 10059398	A1	20020613	DE 2000-10059398	20000130
CA 2431189	A1	20020606	CA 2001-2431189	20011116
AU 2002021862	A	20020611	AU 2002-21862	20011116
EP 1343742	A1	20030917	EP 2001-998522	20011116
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,				

IE, SI, LT, LV, FI, RO, MK, CY, AL, TR  
 BR 2001015857 A 20031014 BR 2001-15857 20011116  
 JP 2004523489 T 20040805 JP 2002-546484 20011116  
 MX 2003PA04904 A 20031015 MX 2003-PA4904 20030530  
 US 20040030209 A1 20040212 US 2003-432361 20030530  
 PRIORITY APPLN. INFO.: DE 2000-10059398 A 20001130  
 WO 2001-EP13322 W 20011116

AB The production of alkylaryl compds. is achieved by the following steps: (1) production of an olefin mixture, comprising, as a statistical mean, predominantly single-branched C10-14 olefins, by means of (a) reaction of a C4 olefin mixture on a metathesis catalyst to give an olefin mixture containing 2-pentene and/or 3-hexene and optional separation of 2-pentene and/or 3-hexene, followed by dimerization of the obtained 2-pentene and/or 3-hexene on a dimerization catalyst to give a mixture containing C10-12 olefins and optional separation of the C10-12 olefins, or (b) extraction of predominantly single-branched paraffins from kerosene fractions and subsequent dehydrogenation, or (c) Fischer-Tropsch synthesis of olefins or paraffins, whereby the paraffins are dehydrogenated, or (d) dimerization of short-chain internal olefins, or (e) isomerization of linear olefins or paraffins, whereby the isomerized paraffins are dehydrogenated, (2) reaction of the olefin mixture obtained in step (1) with an aromatic hydrocarbon in the presence of an alkylation catalyst containing zeolites of the faujasite type. The metathesis catalysts are selected from from compds. of Group VIB, VIIB, or VIII metals. These compds. are sulfonated to give products useful in detergents.

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 4 OF 4 CAPLUS COPYRIGHT 2008 ACS on SIN

ACCESSION NUMBER: 1978:104644 CAPLUS  
 DOCUMENT NUMBER: 88:104644  
 ORIGINAL REFERENCE NO.: 88:16400h,16401a  
 TITLE: Olefin metathesis process and catalyst  
 INVENTOR(S): Castner, Kenneth F.  
 PATENT ASSIGNEE(S): Goodyear Tire and Rubber Co., USA  
 SOURCE: U.S., 7 pp.  
 CODEN: USXXAM  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 4060468	A	19771129	US 1976-729315	19761004
PRIORITY APPLN. INFO.:			US 1976-729315	19761004

AB A catalyst useful for olefin metathesis was prepared. It consisted of a salt selected from WC16, WC15, WC14, WBr5, WC14, WO2C12 and WObR4 and an oxygenated organic compound, e.g., I (R = H, Cl, Br, S, alkyl, aryl, arylalkyl, alkylaryl, cycloalkyl; R1 = Cl, Br, S, Me, Me2CH, Me3C) and II. The mixture was exposed to UV irradiation for at least long enough to give .apprx.0.4 KWH/mol of the W salt. A mixture of 2-pentene isomers was treated with a catalyst prepared from C6Cl5OH and WC16 and converted to 2-butene and 3-hexene. Polymerization reactions with dicyclopentadiene cyclopentene and cyclooctadiene were performed over the same catalyst.

=> log y  
 COST IN U.S. DOLLARS

SINCE FILE TOTAL  
 ENTRY SESSION

FULL ESTIMATED COST	21.84	32.81
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-3.20	-3.20

STN INTERNATIONAL LOGOFF AT 12:53:32 ON 28 JUL 2008